



COLLEGE **2022**
PRESCRIPTION
DRUG STUDY

2022 SURVEY INSTRUMENT

TABLE OF CONTENTS

Section 1: Demographics Part One	3
Section 2: Pain Medication	4
Section 3: Sedatives	8
Section 4: Stimulants	12
Section 5: Alcohol and Drug Use.....	16
Section 6: Drug Use of Other Students and Family Members.....	27
Section 7: General Health and Wellness.....	29
Section 8: Demographics Part Two.....	30

Survey instrument for review only. Please do not copy or use without written permission from the College Prescription Drug Study. For questions, please contact rxstudy@osu.edu.

© 2017. The Ohio State University. All rights reserved. Any reproduction, use, display, making derivative works, and/or distribution of this material without the express written permission of The Ohio State University is strictly prohibited.

SECTION 1: DEMOGRAPHICS PART ONE

Q1 What is your age? Please enter using numbers only, in years.

Condition: If age is less than 18, routed to end of survey

Q2 What is your class rank?

- First year undergraduate
- Second year undergraduate
- Third year undergraduate
- Fourth year undergraduate
- Fifth year+ undergraduate
- Graduate student (Master's)
- Graduate student (Doctoral)
- Graduate student (Professional e.g., MBA, JD, MD, DDS, etc.)
- Other _____

Q3 What is your major(s) or field of study?

Q4 What broad category does your major(s) or field of study fall under? (Select all that apply)

- Arts or Humanities
- Business
- Education
- Health or Medicine
- Social Sciences
- STEM (Science, Technology, Engineering or Mathematics)
- Vocational
- Other _____

Q5 What is your gender?

- Female
- Male
- Genderqueer/Gender Non-conforming
- Intersex
- Transgender Male / Transgender Man
- Transgender Female / Transgender Woman
- Preferred Identity (in addition to or not listed above) _____
- Prefer not to state

Q6 Are you Hispanic or Latino?

- Yes
- No

Q7 Which of the following represents your race/ethnicity? (Select all that apply)

- Asian American/Asian (East, South, Southeast)
- Black or African American
- Native Hawaiian or other Pacific Islander
- Native American / American Indian / Alaskan Native
- Middle Eastern / Arab American
- White or European American
- Other _____
- Prefer not to answer

Q8 Are you...

	Yes	No
A member or a former member of the United States military?	<input type="radio"/>	<input type="radio"/>
An international student?	<input type="radio"/>	<input type="radio"/>
A varsity-level athlete?	<input type="radio"/>	<input type="radio"/>
A member of a fraternity or sorority?	<input type="radio"/>	<input type="radio"/>
A transfer student?	<input type="radio"/>	<input type="radio"/>
A member of a student organization on campus?	<input type="radio"/>	<input type="radio"/>

SECTION 2: PAIN MEDICATION

Q9 Have you ever used a pain medication (e.g., OxyContin, Vicodin, Percodan) for non-medical reasons (e.g., it was not prescribed for you, you only used it for the experience or feeling it caused or you used it in a way other than the prescriber intended or ordered)?

- Yes
- No
- I'd rather not say

Condition: Yes Is Not Selected. Skip To: End of Block.

Q10 How often do you generally use pain medications for non-medical reasons?

- Less than once a year
- At least once a year
- At least once an academic term
- At least once a month
- At least once a week
- At least once a day
- I'd rather not say

Q11 When did you first start using pain medications for non-medical reasons?

- Elementary School (Grades K-5)
- Middle School (Grades 6-8)
- High School (Grades 9-12)
- College (Undergraduate)
- Between undergraduate degree completion and starting graduate school
- Graduate or Professional School
- I'd rather not say

Q12 How many times would you estimate that you have used pain medications for non-medical reasons?

	0 times	1-2 times	3-9 times	10-19 times	20-49 times	50-99 times	100 or more times	I'd rather not say
In the last 30 days	<input type="radio"/>							
In the last 12 months	<input type="radio"/>							
In your lifetime	<input type="radio"/>							

Q13 Where do you typically obtain pain medications that you use for non-medical reasons?

(Select all that apply)

- From a friend
- From a peer who is not a friend
- From a relative
- From a pharmacy
- From a drug dealer
- Other (please specify) _____
- I'd rather not say

Display This Question:

If Where do you typically obtain pain medications that you use for non-medical reasons? (Select all that apply) From a friend Is Selected

Or Where do you typically obtain pain medications that you use for non-medical reasons? (Select all that apply) From a peer who is not a friend Is Selected

Or Where do you typically obtain pain medications that you use for non-medical reasons? (Select all that apply) From a relative Is Selected

Q14 How did you obtain pain medications from your friend, peer or relative?

- They gave me the pain medication(s)
- I took the pain medication(s) without my friend, peer or relative knowing
- I paid my friend, peer or relative for the pain medication(s)
- Other _____
- I'd rather not say

Q15 Why have you used pain medications for non-medical reasons? (Select all that apply)

- To relieve pain
- To sleep
- To relieve anxiety
- To get high
- To help study or improve grades
- To counter the effects of other drugs
- To enhance social interactions or situations
- Because I felt dependent on it
- Because I felt pressured by others
- To see what it was like
- To feel better
- To escape from reality
- Because of a personal or emotional problem
- Because they felt safer than street drugs
- Because they felt less addictive than street drugs
- Because I don't consider it illegal to do so
- Because I like the way they make me feel
- I'd rather not say
- Other (please specify) _____

Q16 Do you use pain medications while drinking alcohol?

- Never
- Rarely
- Sometimes
- Often
- Very often
- I'd rather not say

Q17 Have you ever experienced any of the following effects from your non-medical use of prescription pain medications (e.g., OxyContin, Vicodin, Percodan)?

	Yes	No	I'd rather not say
Not been able to stop using these types of medications when you wanted to?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had family members or friends express their concern about your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stayed away from your family or friends because of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Engaged in criminal activity in order to obtain these types of medications?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced memory loss as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced a negative impact on your academics as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced a positive impact on your academics as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced problems at work?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Done things that you wish you hadn't?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Harmed another person?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Been harmed by another person?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced withdrawal symptoms (felt sick) when you stopped using?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced medical problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced emotional or psychological problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had to undergo medical treatment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had to undergo emotional or psychological treatment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced financial problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced legal problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Been depressed?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had suicidal thoughts?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SECTION 3: SEDATIVES

Q18 Have you ever used sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien) for non-medical reasons (e.g., it was not prescribed for you, you only used it for the experience or feeling it caused or you used it in a way other than the prescriber intended or ordered)?

- Yes
- No
- I'd rather not say

Condition: Yes Is Not Selected. Skip To: End of Block.

Q19 How often do you generally use sedatives for non-medical reasons?

- Less than once a year
- At least once a year
- At least once an academic term
- At least once a month
- At least once a week
- At least once a day
- I'd rather not say

Q20 When did you first starting using sedatives for non-medical reasons?

- Elementary School (Grades K-5)
- Middle School (Grades 6-8)
- High School (Grades 9-12)
- College (Undergraduate)
- Between undergraduate degree completion and starting graduate school
- Graduate or Professional School
- I'd rather not say

Q21 How many times would you estimate that you have used sedatives for non-medical reasons?

	0 times	1-2 times	3-9 times	10-19 times	20-49 times	50-99 times	100 or more times	I'd rather not say
In the last 30 days	<input type="radio"/>							
In the last 12 months	<input type="radio"/>							
In your lifetime	<input type="radio"/>							

Q22 Where do you typically obtain sedatives that you use for non-medical reasons? (Select all that apply)

- From a friend
- From a peer who is not a friend
- From a relative
- From a pharmacy
- From a drug dealer
- Other (please specify) _____
- I'd rather not say

Display This Question:

If Where do you typically obtain sedatives that you use for non-medical reasons? (Select all that apply) From a friend Is Selected

Or Where do you typically obtain sedatives that you use for non-medical reasons? (Select all that apply) From a peer who is not a friend Is Selected

Or Where do you typically obtain sedatives that you use for non-medical reasons? (Select all that apply) From a relative Is Selected

Q23 How did you obtain sedatives from your friend, peer or relative?

- They gave me the sedative(s)
- I took the sedative(s) without my friend, peer or relative knowing
- I paid my friend, peer or relative for the sedative(s)
- Other _____
- I'd rather not say

Q24 Why have you used sedatives for non-medical reasons? (Select all that apply)

- To relieve pain
- To sleep
- To relieve anxiety
- To get high
- To help study or improve grades
- To counter the effects of other drugs
- To enhance social interactions or situations
- Because I felt dependent on it
- Because I felt pressured by others
- To see what it was like
- To feel better
- To escape from reality
- Because of a personal or emotional problem
- Because they felt safer than street drugs
- Because they felt less addictive than street drugs
- Because I don't consider it illegal to do so
- Because I like the way they make me feel
- I'd rather not say
- Other (please specify) _____

Q25 Do you use sedatives while drinking alcohol?

- Never
- Rarely
- Sometimes
- Often
- Very often
- I'd rather not say

Q26 Have you ever experienced any of the following effects from your non-medical use of prescription sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien)?

	Yes	No	I'd rather not say
Not been able to stop using these types of medications when you wanted to?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had family members or friends express their concern about your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stayed away from your family or friends because of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Engaged in criminal activity in order to obtain these types of medications?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced memory loss as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced a negative impact on your academics as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced a positive impact on your academics as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced problems at work?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Done things that you wish you hadn't?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Harmed another person?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Been harmed by another person?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced withdrawal symptoms (felt sick) when you stopped using?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced medical problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced emotional or psychological problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had to undergo medical treatment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had to undergo emotional or psychological treatment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced financial problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced legal problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Been depressed?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had suicidal thoughts?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SECTION 4: STIMULANTS

Q27 Have you ever used a stimulant (e.g., Ritalin, Adderall, Dexedrine) for non-medical reasons (e.g., it was not prescribed for you, you only used it for the experience or feeling it caused or you used it in a way other than the prescriber intended or ordered)?

- Yes
- No
- I'd rather not say

Condition: Yes Is Not Selected. Skip To: End of Block.

Q28 How often do you generally use stimulants for non-medical reasons?

- Less than once a year
- At least once a year
- At least once an academic term
- At least once a month
- At least once a week
- At least once a day
- I'd rather not say

Q29 When did you first starting using stimulants for non-medical reasons?

- Elementary School (Grades K-5)
- Middle School (Grades 6-8)
- High School (Grades 9-12)
- College (Undergraduate)
- Between undergraduate degree completion and starting graduate school
- Graduate or Professional School
- I'd rather not say

Q30 How many times would you estimate that you have used stimulants for non-medical reasons?

	0 times	1-2 times	3-9 times	10-19 times	20-49 times	50-99 times	100 or more times	I'd rather not say
In the last 30 days	<input type="radio"/>							
In the last 12 months	<input type="radio"/>							
In your lifetime	<input type="radio"/>							

Q31 Where do you typically obtain stimulants that you use for non-medical reasons? (Select all that apply)

- From a friend
- From a peer who is not a friend
- From a relative
- From a pharmacy
- From a drug dealer
- Other (please specify) _____
- I'd rather not say

Display This Question:

If Where do you typically obtain stimulants that you use for non-medical reasons? (Select all that apply) From a friend Is Selected

Or Where do you typically obtain stimulants that you use for non-medical reasons? (Select all that apply) From a peer who is not a friend Is Selected

Or Where do you typically obtain stimulants that you use for non-medical reasons? (Select all that apply) From a relative Is Selected

Q32 How did you obtain stimulants from your friend, peer or relative?

- They gave me the stimulant(s)
- I took the stimulant(s) without my friend, peer or relative knowing
- I paid my friend, peer or relative for the stimulant(s)
- Other _____
- I'd rather not say

Q33 Why have you used stimulants for non-medical reasons? (Select all that apply)

- To relieve pain
- To sleep
- To relieve anxiety
- To get high
- To help study or improve grades
- To counter the effects of other drugs
- To enhance social interactions or situations
- Because I felt dependent on it
- Because I felt pressured by others
- To see what it was like
- To feel better
- To escape from reality
- Because of a personal or emotional problem
- Because they felt safer than street drugs
- Because they felt less addictive than street drugs
- Because I don't consider it illegal to do so
- Because I like the way they make me feel
- I'd rather not say
- Other (please specify) _____

Q34 Do you use stimulants while drinking alcohol?

- Never
- Rarely
- Sometimes
- Often
- Very Often
- I'd rather not say

Q35 Have you ever experienced any of the following effects from your non-medical use of prescription stimulants (e.g., Ritalin, Adderall, Dexedrine)?

	Yes	No	I'd rather not say
Not been able to stop using these types of medications when you wanted to?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had family members or friends express their concern about your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stayed away from your family or friends because of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Engaged in criminal activity in order to obtain these types of medications?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced memory loss as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced a negative impact on your academics as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced a positive impact on your academics as a result of your use?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced problems at work?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Done things that you wish you hadn't?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Harmed another person?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Been harmed by another person?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced withdrawal symptoms (felt sick) when you stopped using?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced medical problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced emotional or psychological problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had to undergo medical treatment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had to undergo emotional or psychological treatment?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced financial problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Experienced legal problems?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Been depressed?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Had suicidal thoughts?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SECTION 5: ALCOHOL AND DRUG USE

Q36 Are you aware of resources to help you use prescription drugs safely?

- Yes, I am aware of resources on campus
- Yes, I am aware of resources off campus
- No

Display This Question:

If Are you aware of resources to help you use prescription drugs safely? No Is Not Selected

Q37 What resources are you aware of?

Q38 Have you ever taken a workshop, class or had training on the appropriate ways to use prescription medications?

- Yes
- No

Display This Question:

If Have you ever taken a workshop, class or had training on the appropriate ways to use prescription medications? No Is Not Selected

Q39 What program(s) have you participated in?

Display This Question:

If Have you ever used a pain medication (e.g., OxyContin, Vicodin, Percodan) for non-medical reasons (e.g., it was not prescribed for you, you only used it for the experience or feeling it caused or y... Yes Is Selected

Or Have you ever used sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien) for non-medical reasons (e.g., it was not prescribed for you, you only used it for the experience o... Yes Is Selected

Or Have you ever used a stimulant (e.g. Ritalin, Adderall, Dexedrine) for non-medical reasons (e.g., it was not prescribed for you, you only used it for the experience or feeling it cause... Yes Is Selected

Q40 If you were concerned or worried about your non-medical use of prescription drugs, do you know where to go for help?

- Yes, somewhere on campus
- Yes, somewhere off campus
- No

Display This Question:

If If you were concerned or worried about your non-medical use of prescription drugs, do you know where to go for help? No Is Not Selected

Q41 Where would you go for help?

Display This Question:

If Why have you used stimulants for non-medical reasons? To help study or improve grades
Is Selected

Or Why have you used sedatives for non-medical reasons? To help study or improve
grades Is Selected

Or Why have you used pain medications for non-medical reasons? To help study or
improve grades Is Selected

Q42 You responded that you have used prescription medications to study or to help improve
your grades. With whom do you usually use prescription medications non-medically when
studying?

- Alone
- With others
- Both
- I'd rather not say

Display This Question:

If Why have you used pain medications for non-medical reasons? To help study or improve
grades Is Selected

Or Why have you used sedatives for non-medical reasons? To help study or improve
grades Is Selected

Or Why have you used stimulants for non-medical reasons? To help study or improve
grades Is Selected

Q43 When are you most likely to use prescription drugs non-medically to study? (Select all that
apply)

- Finals or exam week
- Before a test or big project
- When I feel behind in my schoolwork
- When I want to get ahead in my schoolwork
- When I feel that I need a competitive edge among my classmates
- Continuously throughout the academic term

Display This Question:

If What is your class rank? First year undergraduate Is Selected

Or What is your class rank? Second year undergraduate Is Selected

Or What is your class rank? Third year undergraduate Is Selected

Or What is your class rank? Fourth year undergraduate Is Selected

Or What is your class rank? Fifth year+ undergraduate Is Selected

And Why have you used pain medications for non-medical reasons? To help study or improve grades Is Selected

Or Why have you used stimulants for non-medical reasons? To help study or improve grades Is Selected

Or Why have you used sedatives for non-medical reasons? To help study or improve grades Is Selected

Q44 When did you start using prescription drugs non-medically to study?

- Before college
- First year of college
- Second year of college
- Third year of college
- Fourth year of college
- Fifth year or later year of college

Display This Question:

If What is your class rank? Graduate student (Master's) Is Selected

Or What is your class rank? Graduate student (Doctoral) Is Selected

Or What is your class rank? Graduate student (Professional e.g., MBA, JD, MD, DDS, etc.) Is Selected

And Why have you used pain medications for non-medical reasons? To help study or improve grades Is Selected

Or Why have you used sedatives for non-medical reasons? To help study or improve grades Is Selected

Or Why have you used stimulants for non-medical reasons? To help study or improve grades Is Selected

Q45 When did you start using prescription drugs non-medically to study?

- Before college
- During college
- During the time between undergraduate degree completion and starting graduate school
- First year of grad school
- Second year of grad school
- Third year of grad school
- Fourth year of grad school
- Fifth year or higher year of grad school

Display This Question:

If Have you ever used a pain medication (e.g., OxyContin, Vicodin, Percodan) for non-medical reasons? Yes Is Selected

Or Have you ever used sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien) for non-medical reasons? Yes Is Selected

Or Have you ever used a stimulant (e.g., Ritalin, Adderall, Dexedrine) for non-medical reasons? Yes Is Selected

Q46 Have you ever used more than one prescription drug non-medically at the same time?

- Yes
- No
- I'd rather not say

Display This Question:

If Have you ever used a pain medication (e.g., OxyContin, Vicodin, Percodan) for non-medical reasons? Yes Is Selected

Or Have you ever used sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien) for non-medical reasons? Yes Is Selected

Or Have you ever used a stimulant (e.g., Ritalin, Adderall, Dexedrine) for non-medical reasons? Yes Is Selected

Q47 In what ways have you taken prescription drugs for non-medical reasons? (Select all that apply)

- Ingest orally
- Snort nasally
- Inject
- Smoke
- Other _____

Q48 How often do you have 5 or more alcoholic drinks in one sitting?

- Never, I do not drink alcohol
- Never, I never drink 5 or more drinks in one sitting
- Once a year
- A few times a year
- Once a month
- Every other week
- Once a week
- More than once a week

Q49 Have you ever used any of the following? (Select all that apply)

- Cocaine
- Fentanyl
- Hallucinogens (e.g., LSD, shrooms, psilocybin, mescaline, peyote, ayahuasca)
- Heroin
- Inhalants
- Marijuana
- MDMA (e.g., ecstasy, Molly)
- Methamphetamine (e.g., meth)
- Other _____

Display This Question:

If Have you ever used any of the following? Fentanyl Is Selected

Q50 You responded that you have used fentanyl. Where do you typically obtain fentanyl?

(Select all that apply)

- I have a prescription for it
- I know someone with a prescription for it
- From a friend
- From a peer who is not a friend
- From a relative
- From a drug dealer
- Other _____
- I'd rather not say

Display This Question:

If You responded that you have used fentanyl. Where do you typically obtain fentanyl? From a friend Is Selected

Or You responded that you have used fentanyl. Where do you typically obtain fentanyl?

From a peer who is not a friend Is Selected

Or You responded that you have used fentanyl. Where do you typically obtain fentanyl?

From a relative Is Selected

Q51 How did you obtain fentanyl from your friend, peer or relative?

- They gave me the fentanyl
- I took the fentanyl without my friend, peer or relative knowing
- I paid my friend, peer or relative for the fentanyl
- Other _____
- I'd rather not say

Display This Question:

If Have you ever used any of the following? Fentanyl Is Selected

Q52 Have you ever used fentanyl with other prescription drugs?

- Never
- Rarely
- Sometimes
- Often
- Always
- I don't know
- I'd rather not say

Display This Question:

If Have you ever used any of the following? Heroin Is Selected

Q53 You responded you have used heroin. Where do you typically obtain heroin? (Select all that apply)

- From a friend
- From a peer who is not a friend
- From a relative
- From a drug dealer
- Other (please specify) _____
- I'd rather not say

Display This Question:

If You responded you have used heroin. Where do you typically obtain heroin? From a friend Is Selected

Or You responded you have used heroin. Where do you typically obtain heroin? From a peer who is not a friend Is Selected

Or You responded you have used heroin. Where do you typically obtain heroin? From a relative Is Selected

Q54 How did you obtain heroin from your friend, peer or relative?

- They gave me the heroin
- I took the heroin without my friend, peer or relative knowing
- I paid my friend, peer or relative for the heroin
- Other _____
- I'd rather not say

Display This Question:

If Have you ever used any of the following? Heroin Is Selected

Q55 Have you ever used heroin with other prescription drugs?

- Never
- Rarely
- Sometimes
- Often
- Always
- I don't know
- I'd rather not say

Display This Question:

If Have you ever used any of the following? Heroin Is Selected

Q56 Have you ever been treated for a heroin overdose?

- Yes
- No
- I don't know
- I'd rather not say

Q57 How often do you use drugs or alcohol to manage your stress?

- Never
- Rarely
- Sometimes
- Often
- Always

Display This Question:

If Have you ever used a pain medication (e.g., OxyContin, Vicodin, Percodan) for non-medical reasons? Yes Is Selected

Or Have you ever used sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien) for non-medical reasons? Yes Is Selected

Or Have you ever used a stimulant (e.g., Ritalin, Adderall, Dexedrine) for non-medical reasons? Yes Is Selected

Q58 Have you ever used illicit drugs instead of using prescription medications non-medically?

- Yes
- No
- I'd rather not say

Display This Question:

If Have you ever used illicit drugs instead of using prescription medications non-medically? Yes Is Selected

Q59 Which illicit drugs have you used instead of using prescription medications non-medically? (Select all that apply)

- Cocaine
- Fentanyl
- Hallucinogens (e.g. LSD, shrooms, psilocybin, mescaline, peyote, ayahuasca)
- Heroin
- Inhalants
- Marijuana
- MDMA (e.g., ecstasy, Molly)
- Methamphetamine (e.g., meth)
- Other _____
- I'd prefer not to say

Display This Question:

If Have you ever used illicit drugs instead of using prescription medications non-medically? Yes Is Selected

Q60 Why did you use illicit drugs instead of using prescription medications non-medically? (Select all that apply)

- It was easier to access
- It was cheaper
- It has a stronger effect
- I felt dependent on it
- I felt it was safer than prescription drugs
- I felt it was less addictive than prescription drugs
- It has a different effect than prescription drugs
- It has fewer side effects than prescription drugs
- I was curious
- Other _____
- I'd prefer not to say

Q61 In the past year, have you ever had a prescription for the following:

	Yes	No	I don't know	I'd rather not say
Pain medications (e.g., OxyContin, Vicodin, Percodan)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stimulants (e.g., Ritalin, Adderall, Dexedrine)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Display This Question:

If In the past year, have you ever had a prescription for the following: Pain medications (e.g., OxyContin, Vicodin, Percodan) - Yes Is Selected

Q62 In the past year, have you done the following with your prescribed pain medication? (Select all that apply)

- Given to a friend or peer
- Given to a relative
- Given it to someone other than a friend, peer or relative
- Sold to a friend or peer
- Sold to a relative
- Sold it to someone other than a friend, peer or relative
- Kept it when it was no longer medically needed in case I want/need it in the future
- None of the above
- I'd rather not say

Display This Question:

If In the past year, have you ever had a prescription for the following: Sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien) - Yes Is Selected

Q63 In the past year, have you done the following with your prescribed sedatives, sleeping medications or tranquilizers? (Select all that apply)

- Given to a friend or peer
- Given to a relative
- Given it to someone other than a friend, peer or relative
- Sold to a friend or peer
- Sold to a relative
- Sold it to someone other than a friend, peer or relative
- Kept it when it was no longer medically needed in case I want/need it in the future
- None of the above
- I'd rather not say

Display This Question:

If In the past year, have you ever had a prescription for the following: Stimulants (e.g., Ritalin, Adderall, Dexedrine) - Yes Is Selected

Q64 In the past year, have you done the following with your prescribed stimulants? (Select all that apply)

- Given to a friend or peer
- Given to a relative
- Given it to someone other than a friend, peer or relative
- Sold to a friend or peer
- Sold to a relative
- Sold it to someone other than a friend, peer or relative
- Kept it when it was no longer medically needed in case I want/need it in the future
- None of the above
- I'd rather not say

Display This Question:
 If In the past year, have you ever had a prescription for the following: Pain medications (e.g., OxyContin, Vicodin, Percodan) - Yes Is Selected
 Or In the past year, have you ever had a prescription for the following: Sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien) - Yes Is Selected
 Or In the past year, have you ever had a prescription for the following: Stimulants (e.g., Ritalin, Adderall, Dexedrine) - Yes Is Selected

Q65 Where do you store your prescription medications?

- In an unlocked medicine cabinet
- In an unlocked drawer or storage cabinet
- In a purse or backpack
- In a locked space
- Other _____
- I'd rather not say

Q66 How easy is it for you to obtain the following prescription drugs without a prescription?

	Very easy	Somewhat easy	Somewhat difficult	Very difficult	I don't know	I'd rather not say
Pain medications (e.g., OxyContin, Vicodin, Percodan)	<input type="radio"/>					
Sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien)	<input type="radio"/>					
Stimulants (e.g., Ritalin, Adderall, Dexedrine)	<input type="radio"/>					

Q67 How often do you generally use the following over-the-counter, non-prescription drugs for non-medical reasons (e.g., to get high, for the feeling they cause or for a reason not listed in the medicine's instructions)?

	Never	At least once a year	At least once an academic term	At least once a month	At least once a week	At least once a day	I'd rather not say
Cough medicines (e.g., Robitussin, Coricidin)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sleep aids (e.g., Unisom, Sominex)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stimulants (e.g., NoDoz, Vivarian)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SECTION 6: DRUG USE OF OTHER STUDENTS AND FAMILY MEMBERS

Q68 Please answer the following questions about the use of prescription drugs for non-medical reasons (e.g., it was not prescribed, it was only used for the experience or feeling it caused, or it was used in a way other than the prescriber intended or ordered)?

	Never	Rarely	Sometimes	Often	Very Often	I don't know	I'd rather not say
How often do your friends/peers use prescription drugs for non-medical reasons?	<input type="radio"/>						
How often do your family members use prescription drugs for non-medical reasons?	<input type="radio"/>						

Q69 How often do you believe a typical {Your Institution} student uses the following medications for non-medical purposes (e.g., it was not prescribed for them, it was only used for the experience or feeling it caused or it was used in a way other than the prescriber intended or ordered)?

	Never	At least once a year	At least once an academic term	At least once a month	At least once a week	At least once a day	I'd rather not say
Pain medications (e.g., OxyContin, Vicodin, Percodan)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Stimulants (e.g., Ritalin, Adderall, Dexedrine)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Q70 In the last 12 months, what percentage of {Your Institution} students do you believe used the following medications for non-medical reasons (e.g., it was not prescribed for them, it was only used for the experience or feeling it caused, or it was used in a way other than the prescriber intended or ordered)?

	Fill in Percentage
Pain medications (e.g., OxyContin, Vicodin, Percodan)	
Sedatives, sleeping medications or tranquilizers (e.g., Valium, Xanax, Ambien)	
Stimulants (e.g., Ritalin, Adderall, Dexedrine)	

SECTION 7: GENERAL HEALTH AND WELLNESS

Q71 Please rank your agreement with the following statements:

	Strongly Disagree	Disagree	Neither agree nor disagree	Agree	Strongly Agree
I am able to cope with my daily stress	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I am confident than I can figure out how to do difficult work in my academic program	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I am confident that I can do well in my academic program	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Even when the work is challenging, I can make progress in my academic program	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I will complete my degree	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I maintain a healthy balance between school and my personal life	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Q72 How would you rate your overall health?

- Excellent
- Good
- Fair
- Poor

Q73 Have you ever been diagnosed or treated by a professional for:

- Attention Deficit and Hyperactivity Disorder (ADHD)
- A cognitive or learning disability
- Depression
- Anxiety
- Insomnia or another sleep disorder
- Bipolar disorder
- Substance abuse or addiction (alcohol or other drugs)
- Post-traumatic stress disorder (PTSD)

SECTION 8: DEMOGRAPHICS PART TWO

Q74 What is your sexual orientation?

- Heterosexual
- Bisexual
- Gay
- Lesbian
- Queer
- Questioning
- Other _____
- Prefer not to answer

Q75 What is your cumulative GPA?

Q76 Where do you currently live?

- On-campus in residence halls or college/ university-owned apartment or housing
- On-campus in sorority or fraternity housing (e.g., floor within residence hall, college/ university-owned apartment or housing)
- Off-campus in sorority or fraternity house or residence
- Residence within walking distance of campus (e.g., apartment or house not owned by university)
- Residence outside of walking distance of campus (e.g., apartment or house not owned by university)

Q77 Who do you currently live with? (Select all that apply)

- Alone
- With roommates
- My parent(s) or guardian(s)
- My spouse, partner or significant other
- My child(ren)
- With other family members

Q78 What is your religious affiliation?

- Buddhist
- Christian- Catholic
- Christian- Protestant
- Christian- Other
- Hindu
- Jewish
- Muslim
- Other
- Unaffiliated (e.g., Agnostic, Atheist, none)
- Other _____
- Prefer not to answer

Q79 Are you currently employed?

- No
- Yes, on-campus
- Yes, off-campus

Display This Question:

If Are you currently employed? Yes, on-campus Is Selected
Or Are you currently employed? Yes, off-campus Is Selected

Q80 On average, how many hours do you typically work each week?

- Fewer than 10 hours per week
- 10-19 hours per week
- 20-29 hours per week
- 30-39 hours per week
- 40 or more hours per week

Q81 What is your enrollment status?

- Part-time
- Full-time
- Non-degree seeking (e.g., taking classes but not currently pursuing a degree)

Q82 What is the highest level of education completed by your parent(s) or guardian(s)?

- Less than high school
- High school diploma or the equivalent (e.g. GED)
- Attended college but did not earn a degree
- Associate's degree (including occupational or academic degrees)
- Bachelor's degree
- Master's degree
- Doctoral degree (e.g., PhD, JD, MD)